

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L9	1735	324/754.ccls.	USPAT	2003/11/14 11:06
2	BRS	L10	1	9 and (thermal adj head)	USPAT	2003/11/14 11:07
3	BRS	L11	256	9 and (head with ((conductive adj element) pin))	USPAT	2003/11/14 09:28
4	BRS	L12	0	11 and (base with (conductive adj element))	USPAT	2003/11/14 09:29
5	BRS	L13	68	11 and (base with pin)	USPAT	2003/11/14 09:31
6	BRS	L14	9	11 and (contact\$3 with bridg\$3)	USPAT	2003/11/14 09:32
7	BRS	L32	13	(US-6429663-\$ or US-4691197-\$ or US-4281888-\$ or US-6586815-\$ or US-6215173-\$ or US-4525664-\$ or US-4698589-\$ or US-4857833-\$ or US-6492706-\$ or US-6084815-\$ or US-6600334-\$ or US-6362642-\$ or US-6250933-\$).did.	USPAT	2003/11/14 10:59
8	BRS	L35	2	32 and (fuse with resistor)	USPAT	2003/11/14 11:00
9	BRS	L38	1388	324/755-758.ccls.	USPAT	2003/11/14 11:07
10	BRS	L39	0	38 and (thermal adj head)	USPAT	2003/11/14 12:00
11	BRS	L42	7	38 and (thermal near3 head)	USPAT	2003/11/14 15:22
12	BRS	L43	168	38 and (probe near3 head)	USPAT	2003/11/14 12:13
13	BRS	L44	5	43 and (contact with fuse)	USPAT	2003/11/14 13:35
14	BRS	L45	2	("1175335" "1367285").pn.	USPAT	2003/11/14 13:46
15	BRS	L52	0	324/754-765.ccls. and (head with (conduct\$3 adj array))	USPAT	2003/11/14 15:24
16	BRS	L53	106	324/754-765.ccls. and (head with array)	USPAT	2003/11/14 15:25
17	BRS	L54	16	(US-6429663-\$ or US-4691197-\$ or US-4281888-\$ or US-6586815-\$ or US-6215173-\$ or US-4525664-\$ or US-4698589-\$ or US-4857833-\$ or US-6492706-\$ or US-6084815-\$ or US-6600334-\$ or US-6362642-\$ or US-6250933-\$ or US-6252410-\$ or US-3820017-\$ or US-6215323-\$).did.	USPAT	2003/11/14 15:26

	Type	L #	Hits	Search T xt	DBs	Time Stamp
18	BRS	L59	105	53 not 54	USPAT	2003/11/14 15:29
19	BRS	L60	0	53 and (device with fuse)	USPAT	2003/11/14 15:30
20	BRS	L61	3	53 and fuse	USPAT	2003/11/14 15:32
21	BRS	L62	0	53 and (short\$2 near3 link)	USPAT	2003/11/14 15:33
22	BRS	L63	68544	324/\$.ccls. (short\$2 near3 link)	USPAT	2003/11/14 15:33
23	BRS	L64	65280	324/\$.ccls. (short\$2 adj link)	USPAT	2003/11/14 15:34
24	BRS	L65	42	324/\$.ccls. and (short\$2 near3 link)	USPAT	2003/11/14 15:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L9	1735	324/754.ccls.	USPAT	2003/11/14 11:06
2	BRS	L10	1	9 and (thermal adj head)	USPAT	2003/11/14 11:07
3	BRS	L11	256	9 and (head with ((conductive adj element) pin))	USPAT	2003/11/14 09:28
4	BRS	L12	0	11 and (base with (conductive adj element))	USPAT	2003/11/14 09:29
5	BRS	L13	68	11 and (base with pin)	USPAT	2003/11/14 09:31
6	BRS	L14	9	11 and (contact\$3 with bridg\$3)	USPAT	2003/11/14 09:32
7	BRS	L32	13	(US-6429663-\$ or US-4691197-\$ or US-4281888-\$ or US-6586815-\$ or US-6215173-\$ or US-4525664-\$ or US-4698589-\$ or US-4857833-\$ or US-6492706-\$ or US-6084815-\$ or US-6600334-\$ or US-6362642-\$ or US-6250933-\$).did.	USPAT	2003/11/14 10:59
8	BRS	L35	2	32 and (fuse with resistor)	USPAT	2003/11/14 11:00
9	BRS	L38	1388	324/755-758.ccls.	USPAT	2003/11/14 11:07
10	BRS	L39	0	38 and (thermal adj head)	USPAT	2003/11/14 12:00
11	BRS	L42	7	38 and (thermal near3 head)	USPAT	2003/11/14 15:22
12	BRS	L43	168	38 and (probe near3 head)	USPAT	2003/11/14 12:13
13	BRS	L44	5	43 and (contact with fuse)	USPAT	2003/11/14 13:35
14	BRS	L45	2	("1175335" "1367285").pn.	USPAT	2003/11/14 13:46
15	BRS	L52	0	324/754-765.ccls. and (head with (conduct\$3 adj array))	USPAT	2003/11/14 15:24
16	BRS	L53	106	324/754-765.ccls. and (head with array)	USPAT	2003/11/14 15:25
17	BRS	L59	105	53 not 54	USPAT	2003/11/14 15:29
18	BRS	L60	0	53 and (device with fuse)	USPAT	2003/11/14 15:30
19	BRS	L61	3	53 and fuse	USPAT	2003/11/14 15:32
20	BRS	L62	0	53 and (short\$2 near3 link)	USPAT	2003/11/14 15:33
21	BRS	L65	42	324/\$.ccls. and (short\$2 near3 link)	USPAT	2003/11/14 15:34

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	108	324/550.ccls.	USPAT	2003/11/13 16:24
2	BRS	4	324/550.ccls. and (bridge with fuse)	USPAT	2003/11/13 16:24
3	BRS	6	324/550.ccls. and (bridg\$3 with fuse)	USPAT	2003/11/13 17:22
4	BRS	30	4698589.URPN.	USPAT	2003/11/13 16:40
5	BRS	2	324/550.ccls. and (probe with contact\$3)	USPAT	2003/11/13 16:42
6	BRS	1	324/550.ccls. and (head with contact\$3)	USPAT	2003/11/13 16:47
7	BRS	1	4,602,216.pn.	USPAT	2003/11/13 16:47
8	BRS	1	4,281,888.pn.	USPAT	2003/11/13 16:48
9	BRS	1	4,691,197.pn.	USPAT	2003/11/13 16:50
10	BRS	1	6,429,663.pn.	USPAT	2003/11/13 16:54
11	BRS	2	(semiconductor adj device) with (plural adj fuse)	USPAT	2003/11/13 16:58
12	BRS	0	((semiconductor adj device) and (plural adj fuse)) and 324/\$.ccls.	USPAT	2003/11/13 16:58
13	BRS	9	(semiconductor adj device) and (plural adj fuse)	USPAT	2003/11/13 17:02
14	BRS	4	((semiconductor adj device) and (plural adj fuse)) and test\$3	USPAT	2003/11/13 17:21
15	BRS	219	257/209.ccls.	USPAT	2003/11/13 17:21
16	BRS	12	257/209.ccls. and (bridg\$3 with fuse)	USPAT	2003/11/14 09:03

	Comments	Error Definition	Errors
1			0
2			0
3			0
4			0
5			0
6			0
7			0
8			0
9			0
10			0
11			0
12			0
13			0
14			0
15			0
16			0